


CANADIAN WHOLESALE LIGHTING

3CCT LED Flush Mount Panel

YG Part #: LFMW3CCT-WH

2023-02-01 V2.0



Feature- 01: Advantage of Flush Mount Panel

1. Model No.: YG010-R-3C Color: 3CCT:**3000K-4000K-5000K (All 3 in 1)**
2. Watt: **18/24/30W** ; AC120V 50/60Hz
3. Lumen: **2000/3000/4000LM High brightness, SMD2835**
4. 10%-100% Triac dimmable, no flickering
5. CRI:Ra>80
6. Energy-Saving & Super Bright saving 75% energy
7. Compatible for North America's installation regulation requirement.
8. ETL /CETL Certificated, 5 years warranty.

Notice:

1. Cutting off the electricity before installation.
2. Installation can only be done by qualified electrician.
3. Input voltage is AC120V 50/60Hz. Please kindly confirm the voltage before installation.
4. If the down lights can't work normally, please contact our customer service.
5. It will be out of warranty if damage is caused by personal mistake.

| Model No. | Size | Wattage | Voltage | Beam Angle | Color Temperature | Dimmable | Certificate |
|---------------|------|------------|---------|------------|-------------------|----------|-------------|
| YG010G18-R-3C | 9" | 18W 2000LM | AC120V | 180D | 3CCT | YES | ETL/cETL |
| YG010H24-R-3C | 12" | 24W 3000LM | AC120V | 180D | 3CCT | YES | ETL/cETL |
| YG010K32-R-3C | 15" | 30W 4000LM | AC120V | 180D | 3CCT | YES | ETL/cETL |

Feature- 02:3CCT Color Changeable

One Light 3 Color Temperatures

Don't know which type of white fit for your room?



Push this button


Choose your favorite
color temperature






Feature - 03: Low Profile Flush Mount Panel

Compatible With Most Junction Boxes
One For ALL ,All For One



Feature - 04:Ultra Thin 0.94in

Compatible with Junction Boxes




Feature - 05: Dimmable

| Brand | Model | Image | Match | Brand | Model | Image | Match |
|--------|----------------|---|-------|---|-----------|---|-------|
| LUTRON | MACL-153MR-WH |  | 5★ | Leviton | 6672-1LW |  | 5★ |
| LUTRON | SCL-153P-WH |  | 5★ | Leviton | DSL06-1LZ |  | 3★ |
| LUTRON | PD-6WCL-WH |  | 5★ | Leviton | 6674-P0W |  | 3★ |
| LUTRON | CTCL-153P-WH |  | 5★ | Leviton | IPL06-10Z |  | 3★ |
| LUTRON | MSCL-OP153M-WH |  | 4★ |  <p>100% - 10% Smooth triac dimming, compatible with most LED dimmers in North America market.</p> | | | |
| LUTRON | DVCL-153P-WH |  | 3★ | | | | |
| LUTRON | DVW-603PGH-WH |  | 2★ | | | | |

Feature - 06:

Details:



3 Color Options



3000K

4000K

5000K

GOONILED 12" LED Flush Mount Ceiling Lights give you a perfect lighting solution, with 3 color temperatures to choose from & create different ambience to your space.

Switch between three color temperature modes




Feature - 07: Easy Installation



① Secure base plate

Use tapered tapping screws for solid ceiling


Use flat head screws for wire boxes




② Connect the AC L/N cables

Lamp is made of insulating plastic,

so no need for ground wire



③ Push Wire Nuts upwards



④ Rotate the lamp clockwise and install onto base plate, then finish installation!

Feature – 08: Application

