

# GLP-C2

Full Cut OFF LED Wall Pack



- Die-Casting Aluminum Body
- High Lumens 120lm/w
- Photocell Optional
- Emergency Optional
- IP65 Wet Location
- ETL cETL Listed.
- 5 Years Warranty



Power 42W 60W 80W 100W



Photocell Optional  
(support Removable)




High efficiency Fresnel lens  
Reach 130lm/w



Arm Knuckle Bracket  
Optional



IP65 Wet Location




Multi Voltage 100-347Vac

## Parameter

Model No.	GLP-42C2	GLP-60C2	GLP-80C2	GLP-100C2
<b>Wattage</b>	42W	60W	80W	100W
<b>Luminous Efficacy</b>	130lm/w	130lm/w	130lm/w	130lm/w
<b>Lumens output</b>	5040lm	7800lm	10400lm	13000lm
<b>HID/MF Equivalent</b>	200W	300W	400W	500W
<b>Fixture Weight</b>	3kg(6.6lb)	3.1kg(6.8lb)	3.2kg(7.1lb)	3.3kg(7.3lb)
<b>LEDs Brand</b>	(Philips) Lumileds SMD3030			
<b>CCT</b>	3000K, 4000K, 5000K, 5700K			
<b>CRI</b>	70+ or 80+			
<b>Beam Angle</b>	TYPE 3, TYPE 4, TYPE 5			
<b>Input Voltage</b>	100-277Vac or 100-347Vac 50/60Hz			
<b>Function</b>	Photocell, Motion Sensor, Emergency optional			
<b>Power Factor</b>	>0.90			
<b>IP Rating</b>	IP65 /Wet Location			
<b>Working Temp.</b>	-30° C ~ 50° C (-22° F ~ 122° F)			
<b>Storage Temp.</b>	-40° C ~ 70° C (-40° F ~ 158° F)			
<b>Finish</b>	Brown			
<b>Housing</b>	Die-casting Aluminum			
<b>Diffuser</b>	PC Lens			
<b>Installation</b>	Wall Mounting			
<b>Lifespan(L70)</b>	>100,000 Hours			
<b>Certification</b>	ETL, cETL, DLC			

## Dimension



## Order Information

### GLP -60C2-277-50K-P

	-XXX	-XXX	-X
<b>Product Family</b>	<b>Voltage</b>	<b>CCT</b>	<b>Function</b>
<b>GLP-42C2</b> = 42W <b>GLP-60C2</b> = 60W <b>GLP-80C2</b> = 80W <b>GLP-100C2</b> = 100W	<b>277</b> = 100-277Vac <b>347</b> = 100-347Vac	<b>30K</b> = 3000K <b>40K</b> = 5000K <b>50K</b> = 5000K <b>57K</b> = 5700K	<b>N</b> = Non-dimming <b>P</b> = Photocell <b>M</b> = Motion Sensor
<b>In Standard</b>		<b>Options</b> (add as Suffix)	
Brown Finish 130lm/w CRI>70		<b>EM</b> = Emergency <b>ARM</b> = Arm Knuckle Bracket <b>Other customized</b>	

#### Arm Knuckle Bracket Version



#### Emergency Version



## Package Information

ITEM	QTY/CTN	G. W.	CTN SIZE	CBM
GLP -42C2	1pcs	3.0kg(6.6lb)	39x19x19cm (15.4"x7.5"x7.5")	0.014
GLP -60C2	1pcs	3.1kg(6.8lb)	39x19x19cm (15.4"x7.5"x7.5")	0.014
GLP -80C2	1pcs	3.2kg(7.1lb)	39x19x19cm (15.4"x7.5"x7.5")	0.014
GLP -100C2	1pcs	3.3kg(7.3lb)	39x19x19cm (15.4"x7.5"x7.5")	0.014